Prepare in quintuplicate (original and 4 copies) CONTROL NO 36

	ACTOR DRAWINGS & INFON NAVFACENGCOM 4335/3 (-	6	ma / copies/
CONTR		CONTRACT TASK ORDER N	O ACTIVITY	LOCATION			
N624	72-99-D-0032	0084	Naval	Station Newpor	t – Portsmouth	ı, RI	
	TTITLE	T					
FROM	Blast Grit Removal -	- Derecktor Shipyard					· · · · · · · · · · · · · · · · · · ·
	Tech EC Inc · Prog	ram QC Manager Th	omas Kally	1	DATE		
ТО	reen Be, me 110g	ram QC Manager III	omas Keny		June 17, 2005 DATE		
C. Fr	ye (E-Copy and 2	Hard Copies)			June 17, 2005		
	<u> </u>				11, 2000		
	(a) APPLY APPROPRIA (b) RETAIN ONE (1) C	R SUBMITTALS LISTED BELG ATE STAMP IMPRINT TO EAC COPY OF THIS TRANSMITTAL	CH SUBMITTAL AND L FORM AND RETURI	INDICATE REVIEW (NREMAINING COPIE	OMMENTS, AS RE	OUIRED.	DICC.
	2 THESE SUBMITTA	LS SHOULD BE RETURNED	TO THIS OFFICE BY _				
	3						
E-Cor	NSNPT: USEPA: RIDEM:	R. Boucher, R. K C. Mueller K. Keckler P. Kulpa	Erivınskas, J Lamb	alot			
Hard	COPY TO: NSNPT: USEPA: RIDEM:	C. Mueller (1 Ha K. Keckler (3 Ha P Kulpa (1 Hard	ard Copies)				
R	oicc [RPM	CSO	~~~~	as ganga Ks	<u>se</u> Ju	INE 17, 2005
				SIGNATURI	AND DATE		
FROM	DESIGNER			DATE			
то				DATE			
	ROICC						
COPY T	2	LISTED BELOW HAVE BEEN	I REVIEWED AND AR	E RETURNED, WITH	ACTION TAKEN AS	S INDICATED.	
FROM				SIGNATURE	AND DATE		
FROM	ROICC			DATE			
ТО	CONTRACTOR			DATE			
COPY TO	IMPRINT.	LISTED BELOW HAVE BEEN	N REVIEWED AND AF	RE APPROVED/DISAI	PROVED AS SHOW	'N BELOW AND ON	EACH STAMP
∐ KC	DICC	OTHER	OR COLUMN				
		A	OR COMMANDING ACTIVITY NORTHEAS COMMAND	,	SINEERING FIELI TIES ENGINEERING		DATE
ITEM NO.	SU	BMITTAL DESCRIPTION		PREPARED/	APPROVED	DISAPPROVED	REMARKS
1	SD-18, Records: Fin	al Closeout Report for	Sand Blact Gest	Thomas Kelly			
-	Removal at Dereckto	or Shipyard	Sand Diast Offi	I nomas Ken	´		
				 			
	<u> </u>			1			

U.S. NAVY ENGINEERING FIELD ACTIVITY, NORTHEAST REMEDIAL ACTION CONTRACT (RAC) CONTRACT NO. N62472-99-D-0032 CONTRACT TASK ORDER NO. 0084

FINAL CLOSEOUT REPORT
FOR
SAND BLAST GRIT REMOVAL
AT
DERECKTOR SHIPYARD,
NAVAL STATION NEWPORT PORTSMOUTH, RHODE ISLAND

June 17, 2005

Prepared by

Tetra Tech EC, Inc. 133 Federal Street, Floor 6 Boston, Massachusetts 02110



Revision

<u>Date</u> 6/17/05

Prepared By J. McIntosh, EIT Approved By S. Leach, P.E.

Pages Affected All

TABLE OF CONTENTS

1.0	INTRO	DUCTION	1
2.0	BACK 0 2.1 2.2	GROUND INFORMATION	1
3.0	REMO	VAL ACTION	2
4.0	CONFI	RMATORY SAMPLING AND ADDITIONAL EXCAVATION	1
5.0	WASTI	E CHARACTERIZATION AND DISPOSAL	1
6.0	DECO	NTAMINATION	1
Figure	3-1	FIGURE Gate 10 MILCON Project Sand Blast Grit Removal Sample Locations	3
		APPENDICES	
Append	dix B	Sample GPS Coordinates and Site Photographs Confirmatory Sample Screening Against RIDEM Residential Criteria and Analytical Data (including waste characterization data) Bill of Lading and Weight Tickets	
FP		and of busing and weight Horoto	

ABBREVIATIONS AND ACRONYMS

bgs below ground surface
COC contaminants of concern
CTO Contract Task Order

EFANE Engineering Field Activity, Northeast

FFA Federal Facilities Agreement

ft feet

GPS Global Positioning System
IRP Installation Restoration Program

MILCON Military Construction

NAVSTA Naval Station

NPL National Priorities List PCBs polychlorinated biphenyls

poly polyethylene parts per million

RAC Remedial Action Contract

RCRA Resource Conservation and Recovery Act

RIDEM Rhode Island Department of Environmental Management

ROICC Resident Officer in Charge of Construction

SER Shore Establishment Realignment SVOCs semivolatile organic compounds

TCLP Toxicity Characteristic Leaching Procedure

TPH total petroleum hydrocarbons

TtEC Tetra Tech EC, Inc.

USEPA United States Environmental Protection Agency

VOCs volatile organic compounds

1.0 INTRODUCTION

Tetra Tech EC, Inc. (TtEC) has prepared this Final Closeout Report for the removal of soil contaminated with sand blast grit from the Naval Station (NAVSTA) Newport in Portsmouth, Rhode Island. TtEC performed the removal on behalf of Engineering Field Activity, Northeast (EFANE) under Remedial Action Contract (RAC) Number N62472-99-D-0032, Contract Task Order (CTO) Number 0084.

2.0 BACKGROUND INFORMATION

2.1 Naval Station

NAVSTA Newport is located approximately 60 miles southwest of Boston, Massachusetts and 25 miles south of Providence, Rhode Island. It occupies approximately 1,063 acres, with portions of the facility located in the city of Newport and towns of Middletown and Portsmouth, Rhode Island. The facility layout is long and narrow, following the western shoreline of Aquidneck Island for nearly 6 miles facing the east passage of Narragansett Bay.

The NAVSTA Newport facility has been in use by the Navy since the Civil War. During both World Wars I and II, military activities at the facility increased significantly and the base provided housing for many service people. In subsequent years, uses of the on-site facilities were slowly phased out until NAVSTA Newport became headquarters of the Commander-Cruiser Destroyer Force Atlantic in 1962. In April 1973, the Shore Establishment Realignment (SER) Program resulted in the reorganization of naval forces, and activity again declined.

The entire NAVSTA Newport facility was listed on the United States Environmental Protection Agency (USEPA) National Priorities List (NPL) of abandoned or uncontrolled hazardous waste sites in November 1989. A Federal Facilities Agreement (FFA) for NAVSTA Newport was signed by the Navy, the State of Rhode Island, and the USEPA on March 23, 1992. The FFA outlines response action requirements under the Department of Defense Installation Restoration Program (IRP) at NAVSTA Newport. The FFA was developed, in part, to ensure that environmental impacts associated with past and present activities at NAVSTA Newport are thoroughly investigated and remediated, as necessary.

2.2 The New North Gate and Security Improvements

During a Military Construction (MILCON) Project entitled The New North Gate and Security Improvements, the MILCON contractor struck soil contaminated with sand blast grit while excavating soil to enable placement of a footing for a newly designed tower. The MILCON contractor notified Mr. John Lambalot, MILCON Resident Officer in Charge of Construction (ROICC), who then notified Mr. Curt Frye, EFANE Remedial Project Manager.


Mr. Frye then contracted TtEC to remove the sand blast grit material. The Navy has assumed that the sand blast grit material was previously used to blast paint from former ships that were docked in the area. The Navy directed TtEC to excavate soil until the lateral excavation limits of 20 feet (ft) x 20-ft were reached. The Navy did not specify to TtEC a vertical excavation limit but directed TtEC to continue with the vertical removal of sand blast grit-contaminated soil until a visual survey of the excavation base indicated that sand blast grit had been removed.

3.0 REMOVAL ACTION

TtEC contacted the MILCON ROICC to obtain the appropriate documentation to confirm that a current approved DigSafe request existed for the area of excavation prior to intrusive activities. TtEC was told that the current NAVSTA approved DigSafe had expired but that NAVSTA Public Works personnel would expedite re-mark-out of the site vicinity to enable TtEC to conduct intrusive activities required to excavate the sand blast grit material.

After NAVSTA Public Works marked out the site and TtEC obtained the NAVSTA approved DigSafe documentation, TtEC mobilized one operator, one field engineer, two 14-ton roll-off containers, and a rubber-tired extendahoe to the site and began removal of soil from an approximate 20-ft x 20-ft x 4.5-ft area. Before excavation began, testpits were excavated adjacent to the north, south, and east sidewalls to determine the extent of contamination and identify if the 20-ft x 20-ft lateral excavation limits were appropriate. The west side of the excavation area was paved so no testpitting was conducted at this location. Sand blast grit was observed in the east sidewall and it was determined that although the lateral limits of excavation (20-ft x 20-ft) would not enable removal of all the sand blast grit material, it would allow the MILCON contractor to complete installation of the footing; therefore, the Navy directed TtEC to initiate the removal action.

Excavated material was loaded directly into two 14-ton lined roll-offs. Care was taken to avoid spillage and any spillage that did occur was immediately cleaned. The removal of the sand blast grit continued until the lateral excavation limits (20-ft x 20-ft) were reached. At a depth of approximately 4.5-ft below ground surface (bgs), the field engineer conducted a visual survey of the excavation base and sidewalls. No odors or staining were observed on the excavation base or sidewalls. No sand blast grit was observed on the excavation base, the north sidewall, the south sidewall, and the west sidewall but sand blast grit was observed embedded in the east sidewall. Because the lateral excavation limits were reached and the excavation base was visually free of sand blast grit, confirmatory soil samples were collected from the base and three sidewalls as shown in Figure 3-1. No confirmatory samples were collected from the east sidewall because sand blast grit was clearly identified in this location. This sidewall was covered with 6-mil polyethylene (poly) sheeting that was weighted down with visually clean fill from the adjacent area. The excavation sidewalls and base were photographed and the excavation limits (four corners) and the confirmatory sample locations were surveyed using a hand-held Trimble Pro XRS Global Positioning System (GPS) field instrument with submeter accuracy. The sample GPS coordinates and site photographs are located in Appendix A.



4.0 CONFIRMATORY SAMPLING AND ADDITIONAL EXCAVATION

Confirmatory samples (Round 1) were laboratory analyzed for barium, cadmium, chromium, lead, mercury, selenium, silver, zinc, and Polychlorinated Biphenyls (PCBs). These contaminants of concern (COCs) were determined by reviewing historical documentation of a removal action previously conducted at Derecktor Shipyard (Final Report for Derecktor Shipyard, OHM Corporation, February 2, 1996). A review of the previous analytical data indicated that low levels of Total Petroleum Hydrocarbons (TPH) (#2 fuel oil) and metals were detected. PCBs were included as a COC because of their historical popularity as a paint ingredient.

The results of the first round of confirmatory samples are included in Appendix B. As shown, sample SHIPYARD-BASE3 contained a lead concentration of 434 parts per million (ppm), which exceeded the Rhode Island Department of Environmental Management (RIDEM) Residential Direct Exposure Criteria of 150 ppm. Therefore, an additional 2-ft of soil were removed from this area, as shown in Figure 3-1. After the additional soil removal, a second round of confirmatory samples (SHIPYARD-BASE3A and SHIPYARD-BASE3B) were collected. As shown in Appendix B, SHIPYARD-BASE3A and SHIPYARD-BASE3B samples did not exceed the RIDEM criteria. The poly sheeting was left in place to demarcate the clean area from the eastern sidewall that was visually observed to contain sand blast grit. As directed by the Navy, TtEC did not backfill the excavation because the Navy anticipated that the MILCON contractor would resume intrusive activities in this area upon TtEC's departure.

5.0 WASTE CHARACTERIZATION AND DISPOSAL

Two 14-ton roll-offs were used to containerize the waste. A 3-point composite sample (SHIPYARDWASTECHAR) was collected from both roll-offs and composited into one sample, which was analyzed for the following COCs:

- TPH
- Volatile Organic Compounds (VOCs)
- Semi-Volatile Organic Compounds (SVOCs)
- PCBs
- Resource Conservation and Recovery Act (RCRA) Metals
- pH
- Ignitability
- Corrosivity
- Reactivity

The waste characterization data is included in Appendix B. Due to the concentrations of lead, chromium, and barium present in the waste characterization sample, the disposal facility requested an additional composite sample be collected and analyzed for Toxicity Characteristic Leaching Procedure (TCLP) lead, TCLP chromium, and TCLP barium. TtEC collected the additional sample (SHIPYARDWASTE CHAR1) and the results, which are included in Appendix B, were acceptable to the disposal facility.

From February 15-16, 2005, the material was shipped to Aggregate Recycling Corporation in Eliot, Maine. The bills of lading and weight tickets are included in Appendix C.

6.0 DECONTAMINATION

All tools and heavy equipment that came into contact with the sand blast grit material was dry-brush decontaminated directly over the roll-off container prior to demobilization from the site.

Appendix A
Sample GPS Coordinates and Site Photographs

	G	PS COORDINATES	
Sample Identification Number	Easting*	Northing*	Elevation
SHIPYARD-SIDEWALL2	551667.5	161469.2	18.647
SHIPYARD-SIDEWALL3	551653.1	161476.7	18.979
SHIPYARD-SIDEWALL4	551664.8	161488.6	21.383
SHIPYARD-BASE1	551669.9	161474	17.034
SHIPYARD-BASE2	551657.7	161474.6	19.319
SHIPYARD-BASE3	551654.8	161481.1	21.724
SHIPYARD-BASE4	551669.3	161482	24.412
SHIPYARD-BASE3A	551653.3	161481.9	17.649
SHIPYARD-BASE3B	551654.2	161484.7	20.103
EXCAVATION SE CORNER	551671.9	161470.1	23.398
EXCAVATION NE CORNER	551669.8	161491.5	19.764
EXCAVATION NW CORNER	551650.1	161488.1	21.412
EXCAVATION SW CORNER	551652.7	161466.9	19.88

^{*}Coordinates are shown in NAD 27 - RI State Plane 3800, Feet.



DATE: 12/22/04 TIME: 0826 LOCATION: SAND BLAST GRIT AREA COMMENT: WORK AREA PREPARATION



DATE: 12/22/04 TIME: 0826 LOCATION: SAND BLAST GRIT AREA COMMENT: WORK AREA PREPARATION



DATE: 12/22/04 TIME: 0826 LOCATION: SAND BLAST GRIT AREA COMMENT: WORK AREA PREPARATION



DATE: 12/22/04 TIME: 0826 LOCATION: SAND BLAST GRIT AREA COMMENT: FILL MATERIAL OUTSIDE WORK AREA (FIRE POSITION STAKE)



DATE: 12/22/04 TIME: 0935 LOCATION: SAND BLAST GRIT AREA COMMENT: SAND BLAST GRIT REMOVAL



DATE: 12/22/04 TIME: 0936 LOCATION: SAND BLAST GRIT AREA COMMENT: SAND BLAST GRIT REMOVAL



DATE: 12/22/04 TIME: 0939 LOCATION: SAND BLAST GRIT AREA COMMENT: SAND BLAST GRIT REMOVAL



DATE: 12/22/04 TIME: 0946 LOCATION: SAND BLAST GRIT AREA COMMENT: SAND BLAST GRIT REMOVAL



DATE: 12/22/04 TIME: 1125 LOCATION: SAND BLAST GRIT AREA COMMENT: SAND BLAST GRIT REMOVAL



DATE: 12/22/04 TIME: 1133 LOCATION: SAND BLAST GRIT AREA COMMENT: SAND BLAST GRIT REMOVAL



DATE: 12/22/04 TIME: 1234 LOCATION: SAND BLAST GRIT AREA COMMENT: SAND BLAST GRIT REMOVAL



DATE: 12/22/04 TIME: 1247 LOCATION: SAND BLAST GRIT AREA COMMENT: SAND BLAST GRIT REMOVAL



DATE: 12/22/04 TIME: 1302 LOCATION: SAND BLAST GRIT AREA COMMENT: EAST SIDEWALL SAMPLE LOCATION SW1



DATE: 12/22/04 TIME: 1328 LOCATION: SAND BLAST GRIT AREA COMMENT: POTENTIAL DRAINAGE PIPE ENTERING EXCAVATION



DATE: 12/22/04 TIME: 1331 LOCATION: SAND BLAST GRIT AREA COMMENT: POLYETHYLENE SHEETING ON EAST SIDEWALL



DATE: 12/22/04 TIME: 1511 LOCATION: SAND BLAST GRIT AREA COMMENT: 16" METAL PIPE ENTERING CONCRETE CHAMBER W/ PIPE



DATE: 12/22/04 TIME: 1512 LOCATION: SAND BLAST GRIT AREA COMMENT: 8" CLAY PIPE ENTERING EXCAVATION AREA (SOUTH SIDE)



DATE: 12/22/04 TIME: 1513 LOCATION: SAND BLAST GRIT AREA COMMENT: NORTH SIDEWALL



DATE: 12/22/04 TIME: 1515 LOCATION: SAND BLAST GRIT AREA COMMENT: CONCRETE CHASE



DATE: 01/13/05 TIME: 0844 LOCATION: SAND BLAST GRIT AREA COMMENT: PRE-EXISTING AREA AT BASE #3 SAMPLE LOCATION



DATE: 01/13/05 TIME: 1018 LOCATION: SAND BLAST GRIT AREA COMMENT: EXCAVATION AT BASE #3 SAMPLE LOCATION



DATE: 01/13/05 TIME: 1150 LOCATION: SAND BLAST GRIT AREA COMMENT: EXCAVATION AT BASE #3 SAMPLE LOCATION



DATE: 01/13/05 TIME: 1150 LOCATION: SAND BLAST GRIT AREA COMMENT: EXCAVATION AT BASE #3 SAMPLE LOCATION



DATE: 01/13/05 TIME: 1219 LOCATION: SAND BLAST GRIT AREA COMMENT: SAMPLE LOCATION L-SHIPYARD-BASE 3A & 3B

Appendix B

Confirmatory Sample Screening Against RIDEM Residential Criteria and Analytical Data (including waste characterization)

Confirmatory Sample Screening Against RIDEM Residential Criteria and Analytical Data Newport Shipyard Confirmatory Sample PCB Data (Round 1)

SAMP_ID	MATRIX	PARAMETER	QUAL	RESULT (mg/kg)	RIDEM Residential Criteria (mg/kg)	Exceed RIDEM Residential Criteria? (Y/N)	Reporting Limit Issue?	Date Analyzed	Method	Lab ID#	CAS NOS
SHIPYARD-SIDEWALL2	Soil	Total PCBs	U	0017	10	N	N	12/28/2004	EPA 8082	53315-2	1336-36-3
							,	,	-		
SHIPYARD-SIDEWALL3	Soil	Total PCBs		0 05	10	N	N	12/28/2004	EPA 8082	53315-3RX	1336-36-3
							÷ ,				
SHIPYARD-SIDEWALL4	Soil	Total PCBs	Ų	0 017	10	N	N	12/28/2004	EPA 8082	53315-4	1336-36-3
1	, -	•							, ,		7334 34 3
SHIPYARD-BASE1	Soil	Total PCBs		0 05	10	N	N	12/28/2004	EPA 8082	53315-5	1336-36-3
	,	· ·					/	٠,	* ,		
SHIPYARD-BASE2	Soil	Total PCBs		0 034	10	N	N .	12/28/2004	EPA 8082	53315-6	1336-36-3
		1					1 +			1 176	
SHIPYARD-BASE3	Soil	Total PCBs		0 266	10	N	N	12/28/2004	EPA 8082	53315-7	1336-36-3
7 . 9	, ,	,					,			<u> </u>	
SHIPYARD-BASE4	Soil	Total PCBs	U .	0 018	10	N	N	12/28/2004	EPA 8082	53315-8	1336-36-3

Confirmatory Sample Screening Against RIDEM Residential Criteria and Analytical Data Newport Shipyard Confirmatory Sample RCRA 8 Metal Data (Round 1)

				(Rouna 1	,				
SAMP_ID	MATRIX	PARAMETER	QUAL	RESULT (mg/kg)	RIDEM Residential Criteria (mg/kg)	Exceed RIDEM Residential Criteria? (Y/N)	Reporting Limit Issue (Y/N)?	Lab ID#	CAS NOS
SHIPYARD-SIDEWALL2	Soil	Barium		33 4	5500	N	N	603356	7440-39-3
		Cadmium	В	0 23	39	N	N		7440-43-9
		Chromium		15 9	390	N	N		7440-47-3
		Lead		15 5	150	N	N		7439-92-1
		Mercury	U	0 015	23	N	N		7439-97-6
		Selenium Silver	B U	039	390 200	N	N		7782-49-2
		Zinc		0 22 64 7	6000	N N	N N		7440-22-4
		Zine		- 04 /	0000	IN .	IN		7440-66-6
SHIPYARD-SIDEWALL3	Soil	Banum		33 5	5500	N	N	603357	7440-39-3
		Cadmium	В	0 25	39	N	N	003337	7440-43-9
		Chromium		16 6	390	N	N		7440-47-3
		Lead		42 9	150	N	N		7439-92-1
		Mercury	В	0 03	23	N	N		7439-97-6
		Selenium	В	0 33	390	N	N		7782-49-2
		Silver	U	0 19	200	N	N		7440-22-4
		Zinc		106	6000	N	N		7440-66-6
	* , * '	7 74 7 1	,			,	4 .		
SHIPYARD-SIDEWALL4	Soil	Barium		22 9	5500	N	N	603358	7440-39-3
	ļ	Cadmium	В	0 15	39	N	N٠		7440-43-9
		Chromium		17 1	390	N	N		7440-47-3
		Lead	<u> </u>	19 4	150	N	N		7439-92-1
		Mercury Selenium	В	0 016 0 57	23 390	N N	N		7439-97-6
		Silver	U	02	200	N N	N N		7782-49-2
	· · · · · · ·	Zinc	<u> </u>	61 4	6000	N	N N		7440-22-4 7440-66-6
	7- 1	Zinc ,		. 014	0000	19	, N	-	7440-66-6
SHIPYARD-BASEI	Soil	Barium	· -	22 5	5500	N	N	603359	. 7440-39-3
		Cadmium	В	03	39	N	N	003339	7440-43-9
		Chromium		164	390	N N	N		7440-47-3
		Lead		38 7	150	N	N		7439-92-1
		Mercury		0 033	23	N	N	†	7439-97-6
		Selemum	В	03	390	N	N		7782-49-2
		Silver	U	02	200	N	N		7440-22-4
		Zinc		93 8	6000	N	N		7440-66-6
GUIDALLA DA DA CARA		19 al a 15 a				` ,		,	
SHIPYARD-BASE2	Soil	Barium	ļ	45 2	5500	N	N	603360	7440-39-3
		Cadmium	В	036	39	N	N	ļ	7440-43-9
	· · · · · · · · · · · · · · · · · · ·	Chromium Lead		21 7 77 9	390 150	N N	N	 	7440-47-3
	· · · · · · · · · · · · · · · · · · ·	Mercury	В	0 029	23	N	N N	 	7439-92-1 7439-97-6
	•	Selenium		11	390	N	N	 	7782-49-2
		Silver	U	0 19	200	N N	N		7440-22-4
		Zinc		176	6000	N	N	1	7440-66-6
				,		;			
SHIPYARD-BASE3	Soil	Barium		30 8	5500	N	N	603361	7440-39-3
		Cadmium	В	0.5	39	N	N		7440-43-9
		Chromium	 	16	390	N	N		7440-47-3
	 	Lead	<u> </u>	434	150	Υ Υ	N		7439-92-1
	<u> </u>	Mercury		0 15	23	N	N	ļ	7439-97-6
 		Selenium	U	03	390	N	N		7782-49-2
	 	Silver Zinc	В	0 25 208	200 6000	N	N	 	7440-22-4
		Zak	 	208	8000	N	N	 	7440-66-6
SHIPYARD-BASE4	Soil	Barrum	 	23 2	5500	N	\	602262	7440 30 3
III III DA	3011	Cadmium	В	0 12	39	N N	N N	603362	7440-39-3
		Chromium	 	13 8	390	N	N N	 	7440-43-9
		Lead	 	14 3	150	N	N N	 	7439-92-1
		Mercury	U	0 017	23	N	N	 	7439-97-6
		Selemum	Ü	03	390	N	N	 	7782-49-2
	r			02	200				
		Silver	U	02] 200	N	N		7440-22-4

Confirmatory Sample Screening Against RIDEM Residential Criteria and Analytical Data Shipyard Base Confirmatory Sample Lead Data Collected After Re-excavation (Round 2)

SAMP_ID	MATRIX	PARAMETER	QUAL	RESULT (mg/kg)	RIDEM Residential Criteria (mg/kg)	Exceed RIDEM Residential Criteria? (Y/N)	Reporting	Date Analyzed	Method	Lab ID#	CAS NOS
L-SHIPYARD-BASE3A	Soil	Lead	E	23 2	150	N	N		SW6010B	604984	7439-92-1
L-SHIPYARD-BASE3B	Soil	Lead	E	8 2	150	N	N		SW6010B	604985	7439-92-1



195 Commerce Way Suite E Portsmouth, New Hampshire 03801 603-436-5111 Fax 603-430-2151 800-929-9906 www.analyticslab.com

Ms. Janice McIntosh Tetra Tech FW,Inc. 133 Federal Street 6th Floor Boston MA 02110 Report Number: 53315

Revision: Rev. 0

Re: NAVSTA-Sand Blast Grit Removal CTO 0084

Enclosed are the results of the analyses on your sample(s). Samples were received on 24 December 2004 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	<u>Analysis</u>	Comments
53315-1	12/22/04	SHIPYARD-WASTECHAR	Cyanide Reactivity	
	12/22/04	SHIPYARD-WASTECHAR	EPA 1010 Flashpoint	
	12/22/04	SHIPYARD-WASTECHAR	EPA 8015 - TPH	
	12/22/04	SHIPYARD-WASTECHAR	EPA 8082 (PCBs only)	
	12/22/04	SHIPYARD-WASTECHAR	EPA 8260 Volatile Organics	
	12/22/04	SHIPYARD-WASTECHAR	EPA 8270 Acid/Base Neutrals	
	12/22/04	SHIPYARD-WASTECHAR	RCRA Metals	
	12/22/04	SHIPYARD-WASTECHAR	Sulfide Reactivity	
	12/22/04	SHIPYARD-WASTECHAR	SW-846 9045 pH in Solid	
53315-2	12/22/04	SHIPYARD-SIDEWALL2	EPA 8082 (PCBs only)	
	12/22/04	SHIPYARD-SIDEWALL2	RCRA Metals	
53315-3	12/22/04	SHIPYARD-SIDEWALL3	EPA 8082 (PCBs only)	,
	12/22/04	SHIPYARD-SIDEWALL3	RCRA Metals	
53315-4	12/22/04	SHIPYARD-SIDEWALL 4	EPA 8082 (PCBs only)	
	12/22/04	SHIPYARD-SIDEWALL 4	RCRA Metals	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results do not hesitate to call.

Authorized signature

Stephen L. Knollmeyer Lab. Director

Date

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.



195 Commerce Way Surte E Portsmouth, New Hampshire 03801 603-436-5111 Fax 603-430-2151 800-929-9906 www.analyticslab.com

Ms. Janice McIntosh
Tetra Tech FW, Inc.
133 Federal Street 6th Floor
Boston MA 02110

Report Number: 53315

Revision: Rev. 0

Re: NAVSTA-Sand Blast Grit Removal

CTO 0084

Enclosed are the results of the analyses on your sample(s). Samples were received on 24 December 2004 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	<u>Analysis</u>	Comments
53315-5	12/22/04	SHIPYARD-BASE1	EPA 8082 (PCBs only)	
	12/22/04	SHIPYARD-BASE1	RCRA Metals	
53315-6	12/22/04	SHIPYARD-BASE2	EPA 8082 (PCBs only)	
	12/22/04	SHIPYARD-BASE2	RCRA Metals	
53315-7	12/22/04	SHIPYARD-BASE3	EPA 8082 (PCBs only)	
	12/22/04	SHIPYARD-BASE3	RCRA Metals	•
53315-8	12/22/04	SHIPYARD-BASE4	EPA 8082 (PCBs only)	
	12/22/04	SHIPYARD-BASE4	RCRA Metals	
53315-9	12/22/04	Trip Blank	Electronic Data Deliverable	
	12/22/04	Trip Blank	EPA 8260 Volatile Organics	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call,

Authorized signature

Stephen L. Knollmeyer Lab. Director

Date

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.



NAVSTA-Sand Blast Grit Removal

SHIPYARD-WASTECHAR

195 Commerce Way Partsmouth, New Hampshire 03801 603 436-5111 Fax 603-430-2151 800-929-9906

Ms. Janice McIntosh Tetra Tech FW, Inc. 133 Federal Street 6th Floor Boston MA 02110

Project Name:

Project Number:

Field Sample ID:

CLIENT SAMPLE ID

December 30, 2004 SAMPLE DATA

Lab Sample ID:

53315-1

Matrix:

Solid

Percent Solid: Dilution Factor: 89 1.1

Collection Date:

Lab Receipt Date:

12/22/04

Extraction Date:

12/24/04 12/28/04

Analysis Date:

12/28/04

		alysis Date: 12/28/04								
•	TOTAL PCB ANALYTICAL RESULTS									
COMPOUND	Quantitation Limit μg/kg	Results μg/kg								
		•								
Total PCBs	17	159								
	•									
	•									
		•								
	Surrogate Standard Recovery									
	2,4,5,6-Tetrachloro-ın-xylene	50 %								
	Decachlorobiphenyl 5	53 %								
U=Undetected	J=Estimated E=Exceeds Calibration Rang	ge B=Detected in Blank								

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS:

Results are expressed on a dry weight basis.

PCB Report



CTO 0084

NAVSTA-Sand Blast Grit Removal

SHIPYARD-WASTECHAR

195 Commerce Way Portshouth, New Hompshire 03801 603-436-5111 Fax 603-430-2151 800-929-9906

Ms. Janice McIntosh Tetra Tech FW, Inc. 133 Federal Street 6th Floor Boston MA 02110

Project Name:

Project Number:

Field Sample ID:

CLIENT SAMPLE ID

January 4, 2005

SAMPLE DATA

Lab Sample ID:

53315-1 Solid

Matrix:

89

Percent Solid: Dilution Factor:

1.1

Collection Date:

12/22/04

Lab Receipt Date:

12/24/04

Extraction Date:

12/28/04

			EMI-VOLATILE ORGANICS		
COMPOUND	Quantitation Limit µg/kg	Result µg/kg	COMPOUND	Quantitation Limit µg/kg	Resul μg/kg
Acenaphthene	280	Ŭ	2,4-dinitrophenol	280	υ
Acenaphthylene	280	U	2,4-Dinitrotoluene	280	υ
Anthracene	280	U	Fluoranthene	280	513
Benzo[a]anthracene	280	262 J	Fluorene	280	U
Benzo[a] pyrene	280	290	Hexachlorobenzene	280	บ
Benzo[b] fluoranthene	280	292	Hexachlorobutadiene	280	U
Benzo(g,h,i) perylene	280	165 J	Hexachloroethane	280	U
Велzo[k] fluoranthene	280	276 J	Indeno [1,2,3-cd] pyrene	280	228 J
1,1-Biphenyl	280 ·	U	2-Methylnaphthalene	280	U
Bis (2-ethylhexyl) phthalate	280	1670	Naphthalene	280	U
bis(2-chloroethyl) ether	280	U	Pentachlorophenol	280	U
bis(2-chloroisopropyl)ether	280	ប	Phenanthrene	280	367
4-Chloroaniline	280	บ	Phenol	280	U
2-Chlorophenol	280	U	Pyrene	280	469
Chrysene	280	300	1,2,4-Trichlorobenzene	280	ប
Dibenz [a,h] anthracene	280	υ	2,4,5-Trichlorophenol	280	U
1,2-Dichlorobenzene	280	υ	2,4,6-Trichlorophenol	280	U
1,3-Dichlorobenzene	280	บ			
1,4-Dichlorobenzene	280	U			
3,3'-Dichlorobenzidine	280	υ			
2,4-Dichlorophenol	280	υ		_	
Diethyl Phthalate	280	U			
2,4-Dimethylphenol	280	U			
Dimethyl Phthalate	280	U		•	
		Surrogate Star	idard Recovery		
	% d5-Pheno		76 %	d5-nitrobenzene	69 %
	% 2,4,6-Trib letected J=Estir	promophenol	81 % eds Calibration Range B=Deter	d14-p-terphenyl cted in Blank	78 %

COMMENTS: Results are expressed on a dry weight basis. Sample did not meet method acceptance criteria for several compounds in the MS/ MSD. The laboratory control spike was in control.

Authorized signature Mulinia Mirll

8270 TTFW .



CLIENT SAMPLE ID

195 Commerce Way Portsmouth, New Hompshire 03801 603-436-5111 Fax 603-430-2151 800-929-9906

Ms. Janice McIntosh Tetra Tech FW,Inc. 133 Federal Street 6th Floor Boston MA 02110

January 4, 2005 SAMPLE DATA

Lab Sample ID:

53315-1

Matrix:

Solid

Percent Solid:

89

NAVSTA-Sand Blast Grit

5.4

Removal

Dilution Factor: **Collection Date:**

12/22/04

Project Number: Field Sample ID:

Project Name:

SHIPYARD-WASTECHAR

Lab Receipt Date: 12/24/04 **Extraction Date:**

12/27/04

Analysis Date:

12/29/04

ANALYTICAL RESULTS

TOTAL PETROLEUM HYDROCARBONS (C10-C36)

Result	Units	Quantitation Limit
846	mg/kg	108
	Surrogate Standard Ro	ecovery
	m-Terphenyl 11	0 %
U=Undetected	J=Estimated E=Exceeds Calibration	Range B=Detected in Blank

METHODOLOGY:

Aqueous samples prepared by Separatory Funnel Liquid/Liquid Extraction, "Test Methods for Evaluating Solid Waste," Method 3510C; other matrices prepared by Pressurized Fluid Extraction, "Test Methods for Evaluating Solid Waste," Method 3545.

All matrices analyzed according to "Test Methods for Evaluating Solid Waste, SW-846 Method 8015"

COMMENTS:

Results are expressed on a dry weight basis. Quantitation performed based on a No. 6 Fuel Oil standard.

8100C36

Authorized signature Mulimu Mall



195 Commerce Way Portsmouth New Hampshire 03801 603-436-5111 Fax 603-430-2151 800-929-9936

Ms. Janice McIntosh Tetra Tech FW,Inc. 133 Federal Street 6th Floor Boston MA 02110

January 4, 2005

CLIENT SAMPLE ID

SAMPLE DATA

16:00

Project Name:

NAVSTA-Sand Blast Grit

Lab Sample ID:

53315-1

Project Number:

Matrix:

Solid

Client Sample ID:

SHIPYARD-

Percent Solid

89%

WASTECHAR

12/22/04

Collection Date: Lab Receipt Date:

12/24/04

Parameter	Result	Date Analyz	ed	Detection Limit	Units
pН	7.0	12/28/04	9:01	NA	pH units
Flashpoint	>165	12/28/04		NA	° Fahrenheit
Sulfide Reactivity	U	12/27/04		11	mg/kg
Cyanide Reactivity	U	12/27/04		11	mg/kg
. U = Uno	detected	NA = Not Applicable	<=Le	ss than >=Greater than	1

METHODOLOGY: pH: Sample analyzed according to "EPA SW 846 Method 9045 pH in solid"

FlashPoint: Sample analysis was conducted according to "Test Methods for Evaluating Solid Waste, EPA SW-846, Method 1010."

Reactivity: Sulfide reactivity analysis was conducted according to "Test Methods for Evaluating

Solid Waste, SW-846, Sulfide by Modified Method 7.3.4.2."

Cyanide reactivity analysis was conducted according to "Test Methods for Evaluating Solid Waste,

SW-846, Cyanide by Modified Method 7.3.3.2."

COMMENTS: Results are expressed on a dry weight basis. Cyanide analysis conducted on 12/28/04.

Authorized signature Mulina afull

INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

SHIPYARD	-WASTE	CHAR

						S	HIPYARD-WASTE C	HAR
Lab Name:	STL BURLIN	GTON		Contract:	24000	<u> </u>		
Lab Code:	STLVT	Case No.:	24000	SAS No.:		SDG No.:	53315A	-~
Matrix (soi	1/water):	SOIL		Lab	Sample ID:	603355		
Level (low/	med): <u>L</u> C	DW		Dat	e Received:	12/29/04	1	
% Solids:	91.0					•		

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	c	Q	M
7440-38-2	Arsenic	9.5			P
7440-39-3	Barium	426			P
7440-43-9	Cadmium	0.88	I		P
7440-47-3	Chromium	90.5			P
7439-92-1	Lead	374	Ì		P
7439-97-6	Mercury	0.20	ÌÌ		CV
7782-49-2	Selenium	0.30	ज		P
7440-22-4	Silver	0.61	B		P

Color Before:	brown	Clarity Before:		Texture:	medium
Color After:	yellow	Clarity After:	cloudy	Artifacts:	
Comments:					
• -					
_					
_					·

SHIPYARD-WASTE CHAR

Lab Name: STL BURLINGTON

Contract: 24000

Lab Code: STLVT

Case No.: 24000 SAS No.:

SDG No.: 53315A

Matrix: (soil/water) SOIL

Lab Sample ID: 603355

Sample wt/vol: 10.8 (g/mL) G

Lab File ID: 603355

Level: (low/med) LOW

Date Received: 12/29/04

% Moisture: not dec. 9

Date Analyzed: 12/30/04

GC Column: CAP ID: 0.53 (mm)

COMPOUND

Dilution Factor: 1.0

Soil Extract Volume: (uL)

CAS NO.

Soil Aliquot Volume: ____(uL)

CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG

1		g/kg) UG/kG	Q
67-64-1	:Acetone	43	<u></u>
71-43-2	Benzene	2.5	, –
75-27-4	Bromodichloromethano	2.5	
1 75-25-2	Bromoform	2.5	1 -
1 74-83-9	Bromomethane	1.3	
56-23-5	Carbon Tetrachlorido	2.5	1
108-90-7-~	Chlorobenzene	2.5	
67-66-3	Chloroform	2.5	177
124-48-1	Dibromochlommethane	2.5	
96-12-8	1.2-Dibromo-3-Chloropropane	2.5	
/3~34~3~~	L.L-DJChloroethane	2.5	
75-35-4	1.1-Dichloroetheno	2.5	
107-06-2	1.2-Dichloroethane	2.5	
156-59-2	Cis-1.2-Dichloroethere	2.5	
±56-60 - 5	trans-1.2-Dichloroethere	2.5	177
/Q~Q/~>~~~~	reel 2-Dichloropropano	2.5	
! 100-41-4	-~-Ethylbenzene	2.5	
106-93-4	1.2-Dibromoethana	2.5	
98-82-8	Isopropyl benzene	2.5	
/8~93~3	2-Butanone	9.5	١٥
108-10-1	4-Methyl-2-pentanona	0.46	
1634-04-4	Methyl-t-Butyl Ether	2.5	
ノラーロソームーーーーー	Methylene Chloride	2.5	
100-42-5	Styrene	2.5	17
630-20-6	1.1.1.2-Tetrachloroethane	2.5	
/3-34-5	1.1.2.2-Tetrachloroethane	2.5	
12/-18-4	Tetrachloroethene	2.5	
T08-88-3	Toluene	1.0	
71-55-6	1.1.1-Trichloroethane	2.5	
/3-00-5	1.1.2-Trichlomethane	2.5	יט זז
/9-U1-6	Trichloroethene	2.5	11
75-01-4	Vinvl Chloride		
1330-20-7	Xylene (total)	2.5	-
		0.81	J
		I	

INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

SHIPYARD	BASE	1

	•		SHIPYARD BASE 1
Lab Name:	STL BURLINGTON	Contract: 24000	
Lab Code:	STLVT Case No.: 24000	SAS No.:	SDG No.: 53315
Matrix (soi	l/water): SOIL	Lab Sample ID:	603359
Level (low/	ned): LOW	Date Received:	12/29/04
% Solids:	86.4		
	Concentration Units (ug/	Lor ma/ka dry weight)-	NG /YC

CAS No.	Analyte	Concentration	c	Q	м
7440-39-3	Barium	22.5	1		P
7440-43-9	Cadmium	0.30	В		P
7440-47-3	Chromium	16.4	1		P
7439-92-1	Lead	38.7			P
7439-97-6	Mercury	0.033	T		CV
7782-49-2	Selenium	0.30	B		P
7440-22-4	Silver	0.20	0		P
7440-66-6	Zinc	93.8	Ti		l P

Color Before:	brown	Clarity Before:		Texture;	medium
Color After:	yellow	Clarity After:	cloudy	Artifacts:	-
Comments:					
	 		······································		

INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

SHIPYARD	Base	2	

		•					ľ	s	HIPYARD BASE 2
Lab Name:	STL BUR	LINGTON	Con	tract:	24000				
Lab Code:	STLVT	Case No.:	24000	SAS No.:			SDG N	io.:	53315
Matrix (soi	.l/water):	SOIL		Lab	Sample ID	•	6033	60	
Level (low/	med):	FOM		Dat	e Received	:	12/2	9/04	
% Solids:	90.6			•					
		CAS No.	nits (ug/L or Analyte	·	y weight):	c	MG/I	KG M	_]
		7440-39-3	Barium		45.2	1		P	
		7440-43-9	Cadmium		0.36	B		P	Ī
		7440-47-3	Chromium		21.7	1	1	P	Ī
		7439-92-1	Lead	<u> </u>	77.9	1	1	P	Ī
		7439-97-6	Mercury		0.029	В		CV	Ì `
		7782-49-2	Selenium		1.1	Ī	l	P	ĺ

0.19 [U

176

P

Silver

Zinc

7440-22-4

Color Befo	ore:	brown	Clarity Before:		Texture:	medium
Color Afte	er:	yellow	Clarity After:	cloudy	Artifacts:	
Comments:	_		-			
	_					
					· · · · · · · · · · · · · · · · · · ·	

INORGANIC ANALYSES DATA SHEET

16.0

434

0.15

0.30 U

D.25 B

208

EPA SAMPLE NO.

P

P

CV

P

P

P

SHIPYARD	Base	3

		•							
Lab Name:	STL BURL	INGTON	Contr	act:	24000		·····		
Lab Code:	STLVT	Case No.:	24000 SA	S No.:			SDG	No.:	53315
Matrix (soil	/water):	SOIL		Lab	Sample ID:	:	6033	361	
Level (low/m	ed):	FOM		Dat	e Received:	:	12/2	29/04	
% Solids:	89.0	-							
		Concentration Un	nits (ug/L or mo	g/kg dr	y weight):		MG/	'KG	-
		CAS No.	Analyte	Conce	ntration	С	Q	м	
		7440-39-3	Barium		30.8			P	1
		7440-43-9	Cadmium	1	0.50	B		P	Ī
		7440-47-3	Chromium	1	16.0			P	1

Mercury

Silver

Zinc

Selenium

Lead

7439-92-1

7439-97-6

7782-49-2

7440-22-4

Color Before:	brown	Clarity Before:		Texture:	medium
Color After:	yellow	Clarity After:	cloudy	Artifacts:	
Comments:					
-			···	****	
_			·		
_					

INORGANIC ANALYSES DATA SHEET

RPA SAMPLE NO.

-		
	SHIPYARD	BASE 4

		•						
Lab Name:	STL BURI	INGTON	Contr	act: 24000				
Lab Code:	STLVT	Case No.:	24000 S	AS No.:		SDG No	.:	53315
Matrix (soil	(/water):	SOIL		Lab Sample ID	:	60336	2	
Level (low/m	ned):	FOA		Date Received	:	12/29	/04	
% Solids:	87.5							
		CAS No.	Analyte	Concentration	c	MG/K	G M	-
		7440-39-3	Barium	23.2			P	
		7440-43-9	Cadmium	0.12	B		P	
		7440-47-3	Chromium	13.8	1 1		P	
		7439-92-1	Lead	14.3			P	
		7439-97-6	Mercury	0.017	 		CV	
		7782-49-2	Selenium	0.30	ט		P	

Silver

Zinc

0.20 [미

77.8

P

P

7440-22-4

Color Before:	brown	Clarity Before:		Texture:	medium
Color After:	yellow	Clarity After:	cloudy	Artifacts:	***************************************
Comments:	**************************************		· · · · · · · · · · · · · · · · · · ·		
•	····				

-1-

INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

							SH	IPYARDSIDEWALL 2
Lab Name:	STL BURL	INGTON		Contract:	24000			
Lab Code:	STLVT	Case No.:	24000	SAS No.:	-	SDG	No.:	53315
Matrix (soi	l/water):	SOIL		Lab	Sample ID:	603	356	
Level (low/	med):	FOM		Dat	e Received:	12/	29/04	

% Solids: 89.6

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	c	Q	м
7440-39-3	Barium	33.4	1-1		P
7440-43-9	Cadmium	0.23	B		P
7440-47-3	Chromium	15.9	Ī		P
7439-92-1	Lead	15.5	1 1		P
7439-97-6	Mercury	0.015	ਹ		CV
7782-49-2	Selenium	0.39	В		P
7440-22-4	Silver	0.22	ן ש		P
7440-66-6	Zinc	64.7			P

Color Before:	brown	Clarity Before:		Texture:	medium
Color After:	yellow	Clarity After:	cloudy	Artifacts:	
Comments:					
•					
-					

INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

SHIPYARD-SIDEWA	ALL	3

	•		SAIPIARD-SIDEWAL
Lab Name:	STL BURLINGTON	Contract: 24000	
Lab Code:	STLVT Case No.: 24000	SAS No.:	SDG No.: 53315
Matrix (soi	l/water): SOIL	Lab Sample ID:	603357
Level (low/	med): LOW	Date Received:	12/29/04
% Solids:	90.9		
	Concentration Units (ug,	/L or mg/kg dry weight):	MG/KG

CAS No.	Analyte	Concentration	c	Q	М
7440-39-3	Barium	33.5	1 1		 P
7440-43-9	Cadmium	0.25	B		P
7440-47-3	Chromium	16.6	ÌÌ		q
7439-92-1	Lead	42.9	11		P
7439-97-6	Mercury	0.030	B		CV
7782-49-2	Selenium	0.33	B	***************************************	P
7440-22-4	Silver	0.19	U		P
7440-66-6	Zinc	106	ÌÌ		l P

Color	Before:	brown	Clarity	Before:		Texture:	medium
Color	After:	yellow	Clarity	After:	cloudy	Artifacts:	
Сопшец	its:			· · · · · · · · · · · · · · · · · · ·			
	-						
	_					· · · · · · · · · · · · · · · · · · ·	
	_						

INORGANIC ANALYSES DATA SHEET

19.4

0.57

61.4

0.016 |0 |

0.20 U

P

CV

P

P

P

EPA SAMPLE NO.

SHIPYARD-SIDEWA	LL	4

		•					J.A.	TEINKO-SIDEMMIN
Lab Name: ST	L BURLINGTO	N	Contr	act: 24000				
Lab Code: ST	LVT	Case No.:	24000 S	AS No.:		SDG	No.:	53315
Matrix (soil/w	ater): SC	OIL		Lab Sampl	e ID:	603	3358	
Level (low/med): <u>LOW</u>			Date Rece	ived:	12/	/29/04	
% Solids: 86	.9	•						
Concentration			nits (ug/L or m	g/kg dry weig	ht):	Mo	e/KG	
	CA	S No.	Analyte	Concentrati	.on	C C	м	7
	744	0-39-3	Barium	1 2	2.9	_	P	<u> </u>
	744	0-43-9	Cadmium	1 0	.15 E	3	P	j
	744	0-47-3	Chromium	1 1	7.1	1	i p	i

Lead

Mercury

Silver

Zinc

Selenium

7439-92-1

7439-97-6

7782-49-2

7440-22-4

Color Before:	brown	Clarity Before:	·	Texture:	medium			
Color After:	yellow	Clarity After:	cloudy	Artifacts:				
Comments:								
·								



195 Commerce Way Portsmouth, New Hampshire 03891 603-436-5111 Fax 603-430-2151 600-929-9906

Ms. Janice McIntosh Tetra Tech FW,Inc. 133 Federal Street 6th Floor Boston MA 02110

Project Name:

Project Number:

Field Sample ID:

CLIENT SAMPLE ID

December 30, 2004

SAMPLE DATA

Lab Sample ID:

53315-2

Matrix:

Solid

Percent Solid:

89

Dilution Factor:

1.1

Collection Date:

12/22/04

Lab Receipt Date:

12/24/04

Extraction Date:

12/28/04

Analysis Date:

12/28/04

TOTAL PCB ANALYTICAL RESULTS

COMPOUND

NAVSTA-Sand Blast Grit Removal

SHIPYARD-SIDEWALL2

Quantitation Limit μg/kg

Results μg/kg

Total PCBs

17

υ

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene

56 %

Decachlorobiphenyl

54 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report

· Authorized signature



NAVSTA-Sand Blast Gnt Removal

SHIPYARD-SIDEWALL3

195 Commerce Way Portshouth, New Homoshire 03801 603-436-5111 Fox 603-430-2151 800-929-9906

Ms. Janice McIntosh Teira Tech FW,Inc 133 Federal Street 6th Floor Boston MA 02110

Project Name:

Project Number:

Field Sample ID:

CLIENT SAMPLE ID

December 30, 2004 SAMPLE DATA

Lab Sample ID:

53315-3 RX

Matrix:

Solid

Percent Solid:

91

Dilution Factor:

1.1

Collection Date:

12/22/04

Lab Receipt Date:

12/24/04

Extraction Date:

12/28/04

Analysis Date:

12/29/04

TOTAL PCB ANALYTICAL RESULTS Quantitation Limit µg/kg

Results μg/kg

Total PCBs

COMPOUND

17

50

Surrogate Standard Recovery

2.4,5,6-Tetrachloro-m-xylene

91 %

Decachlorobiphenyl

92 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS:

Results are expressed on a dry weight basis.

PCB Report

Authorized signature



NAVSTA-Sand Blast Grit Removal

SHIPYARD-SIDEWALL 4

195 Commerce Way Portsmouth, New Hampshire 03801 603-436-5111 Fox 603-430 2151 800-929-9906

Ms. Janice McIntosh Tetra Tech FW, Inc. 133 Federal Street 6th Floor Boston MA 02110

Project Name:

Project Number:

Field Sample ID:

CLIENT SAMPLE ID

December 30, 2004

SAMPLE DATA

Lab Sample ID:

53315-4

Matrix:

Solid

Percent Solid:

87

Dilution Factor:

1.1

Collection Date:

12/22/04

Lab Receipt Date:

12/24/04

Extraction Date:

12/28/04

Analysis Date:

12/28/04

	TOTAL PCB ANALYT	FICAL RESULTS
COMPOUND	Quantitation Limit μg/kg	Results µg/kg
Total PCBs	17	U
		•
		•
•		•
	Surrogate Standard Recover	ery
	2,4,5,6-Tetrachloro-m-xylene Decachlorobiphenyl	62 % 57 %
U=Undetected J=	Estimated E=Exceeds Calibration Ra	Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS:

Results are expressed on a dry weight basis.

PC8 Report



195 Commerce Way Portsmouth, New Hompshire 05801 603-436-5111 Fax 603-430-2151 800-929-9906

Ms. Janice McIntosh Tetra Tech FW, Inc. 133 Federal Street 6th Floor Boston MA 02110

Project Name:

Project Number:

Field Sample ID:

CLIENT SAMPLE ID

December 30, 2004

SAMPLE DATA

Lab Sample ID: Matrix:

53315-5

Solid

Percent Solid:

86

Dilution Factor:

1.1

Collection Date:

12/22/04

Lab Receipt Date: Extraction Date: 12/24/04 12/28/04

Analysis Date:

12/28/04

TOTAL PCB ANALYTICAL RESULTS

COMPOUND

NAVSTA-Sand Blast Grit Removal

SHIPYARD-BASEI

Quantitation Lunit µg/kg Results μg/kg

Total PCBs

17

50

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene

72 %

Decachlorobiphenyl

61 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS:

Results are expressed on a dry weight basis.

PCS Report



195 Commerce Way Portsmouth, New hampshire 03801 602-436-5111 Fox 603-439-2151 800-929-9906

Ms Janice McIntosh Tetra Tech FW, Inc. 133 Federal Street 6th Floor Boston MA 02110

Project Name:

Project Number:

Field Sample ID:

CLIENT SAMPLE ID

December 30, 2004

SAMPLE DATA

Lab Sample ID:

53315-6

Matrix:

Solid

Percent Solid: Dilution Factor: 89 1.1

Collection Date:

12/22/04

Lab Receipt Date: 12/24/04

Extraction Date:

12/28/04

Analysis Date:

12/28/04

Quantitation

Limit µg/kg

TOTAL PCB ANALYTICAL RESULTS

COMPOUND

NAVSTA-Sand Blast Grit Removal

SHIPYARD-BASE2

Results $\mu g/kg$

Total PCBs

17

34

Surrogate Standard Recovery

2,4,5.6-Tetrachloro-m-xylene

70 %

Decachlorobiphenyl

58 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS: Results are expressed on a dry weight basis.

PCB Report



Portynouth, New Hampstire 03601 603-436-5111 Fox 603-430-2151 800-929-9906

Ms. Janice McIntosh Tetra Tech FW, Inc. 133 Federal Street 6th Floor Boston MA 02110

Project Name:

Project Number:

Field Sample ID:

CLIENT SAMPLE ID

December 30, 2004 SAMPLE DATA

Lab Sample ID:

53315-7

Matrix:

Solid

Percent Solid:

90

Dilution Factor:

1.1

Collection Date:

12/22/04

Lab Receipt Date: **Extraction Date:**

12/24/04 12/28/04

Analysis Date:

12/28/04

TOTAL PCB ANALYTICAL RESULTS

COMPOUND

SHIPYARD-BASE3

NAVSTA-Sand Blast Grit Removal

Quantitation Limit µg/kg

Results μg/kg

Total PCBs

17

266

Surrogate Standard Recovery

2,4,5.6-Tetrachloro-m-xylene

67 %

Decachlorobiphenyl

58 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545.

COMMENTS:

Results are expressed on a dry weight basis.

PCB Report



195 Commerce Way Partzmouth, New Hompehire G3601 603-436-5111 Fax 503-430-2151 600-929-9905

Ms. Janice McIntosh Tetra Tech FW, Inc. 133 Federal Street 6th Floor Boston MA 02110

December 30, 2004

SAMPLE DATA

CLIENT SAMPLE ID

Project Name:

NAVSTA-Sand Blast Grit Removal

Project Number:

Field Sample ID:

SHIPYARD-BASE4

Lab Sample ID: 53315-8 Matrix: Solid Percent Solid: 79 Dilution Factor: 1.2 Collection Date: 12/22/04 Lab Receipt Date: 12/24/04 **Extraction Date:** 12/28/04

Analysis Date: 12/28/04

TOTAL PCB ANALYTICAL RESULTS

Quantitation Results Limit μg/kg μg/kg COMPOUND

Total PCBs

18

U

Surrogate Standard Recovery

2,4,5,6-Tetrachloro-m-xylene

66 %

Decachlorobiphenyl

58 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 8082.

Sample preparation conducted according to Test Methods for Evaluating Solid Waste, SW-846 Method 3545

COMMENTS: Results are expressed on a dry weight basis

PCB Report

USEPA - CLP FORMS

INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO. L-SHIPYARD-BASE3A

Lab Name:	STL BURL	INGTON	Contr	act: 25000		 		
Lab Code:	STLVT	Case No.:	25000 sz	AS No.:		SDG No	. :	53401A
Matrix (soi	il/water):	SOIL		Lab Sample ID:		60498	4	
Level (low/	/med):	TOM		Date Received:		01/17	/05	· · · · · · · · · · · · · · · · · · ·
% Solids:	83.0	_						
		Concentration U	nits (ug/L or m	g/kg dry weight):		MG/K	G	_
		CAS No.	Analyte	Concentration	С	Q	м]
		7439-92-1	Lead	23.2		B	P	j
								•
				•				
Color Be	fore:	. с1	arity Before:		Te	xture:		

_____ Clarity After:

Color After:

Comments:

Artifacts:

USEPA - CLP FORMS

INORGANIC ANALYSES DATA SHEET

]	L-SHIPYARD-BASE3B
Lab Name:	STL BURL	INGTON	Contra	ct: <u>25000</u>		L
Lab Code:	STLVT	Case No.:	25000 SAS	No.:	SDG	No.: 53401A
Matrix (soi	l/water):	SOIL		Lab Sample ID:	6049	985
evel (low/	med):	FOM		Date Received:	01/1	17/05
Solids:	89.4	_				
		Concentration U	nits (ug/L or mg	/kg dry weight):	мо/	/KG
		CAS No.	Analyte	Concentration	C Q	м
		7439-92-1	Lead	8.2	E	P
		Const. The second secon				
Color Befo	ore:	en:	arity Before:		PD as as because	
					Texture	e:
Color Afte	ar:	Cla	arity After:		Artifac	cts:
Comments:						



195 Commerce Way Suite E Portsmouth, New Hampshire 03801 603-436-5111 Fax 603-430-2151 800-929-9906 www.analyticslab.com

Ms. Janice McIntosh
Tetra Tech FW, Inc.
133 Federal Street 6th Floor
Boston MA 02110

Report Number: 53495

Revision: Rev. 0

Re: NAVSTA-Sand Blast Grit Removal

CTO 0085

Enclosed are the results of the analyses on your sample(s). Samples were received on 04 February 2005 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
53495-1	02/03/05	SHIPYARD-WASTECHARI	Electronic Data Deliverable	
	02/03/05	SHIPYARD-WASTECHAR1	TCLP RCRA Metals	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature

Mulena Gully

Stephen L. Knollmeyer Lab. Director

Date

02/08/05

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

USEPA-CLP FORMS

INORGANIC ANALYSES DATA SHEET

							_		EPA SAMPLE NO.
	•						L	SH.	IPYARDWASTECHAR1
Lab Name:	STL BURL			tract:	25000				
Lab Code:	STLVT	Case No	25000	SAS No.:	· · · · · · ·		SDG No	. :	53495
Matrix (soi	l/water):	TCLP EXT		Lab	Sample ID:		60708	7	
Level (low/	med):	LOW		Dat	e Received:		2/4/2	005	
% Solids:	0:0	-							•
		Concentratio	n Units (ug/L or	mg/kg dr	y weight):		DG/L		_
		CAS No.	Analyte	Conce	entration	c	Q	м.	
		7440-39-3	Barium		459	H		P	<u>'</u>
		7440-47-3	Chromium		7.6	В		₽	<u> </u>
		7439-92-1	Lead	1	162			Þ]
Color Befo	ore: cole	orless	Clarity Before:	clear	r	Te	xture:		
Color Afte	er: col	orless	Clarity After:	clear		Ar	tifaçtı	3:	
Comments:					· · · · · · · · · · · · · · · · · · ·			<u>-</u>	

Appendix C

Bill of Lading and Weight Tickets

JNIFORM S	TRAIGHT BILL OF	LADING Ori	ginal—Not	Negotial	ble — Doi	mestic	Shipp	per's # 2/1	5/05
	L AME (S)	7 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	34		Carrier	r representation of the second	Ageni	t's No.	•
RECEIVED, subject to	the classifications and tanffs in effect	on the date of the issue o	f this Bill of Lading,		341	,	W 1		· · ·
ut	Station Newport		from					Newport, RI	
e property described below, in ap ithis property under the contract) all or any of sald property over the conditions on back hereof, which	operent good order, except as noted (contents and con- agrees to carry to its usual place of delivery at said of all or any portion of seat route to desthation, end as the are hereby agreed to by the athopper and accepted for	dition of contents of packages unknow satination, if on its own relifered, water to each party at any time interested in I himself and his assigns.	m) marked, consigned and desti- line, highway soute or routes, or half or any of said property, that	ned as shown bolow, which within the tentiory of its to every service to be perform	sald company (the word of ghway operations, otherwined hereunder shall be s	company being und itse to deliver to an subject to all the cor	erstood throughout other carrier on the notions not prohib	t this contract as meaning any per e route to said destination, it is mu ited by law; whether posted or will	son or corporation in possession sually agreed, as to each carries iten, herein contained, including
Consigned to	Aggregate	Recycling	Corp.		(Mail	or street add	ress of cons	signee - For purpóses	of notification only)
Destination	Dow Highway	Eliot				ip Code	03903	3_County of_	York
Routing			C	elivering G] arrier <u>Rem</u> c	lobal <u>ediation</u>	·Sves-	Vehicle or Car Ir	nitial RG N	0
Collect On Del	and remit to	t .		- 1 1				C. O. D. charge to be paid by	Shipper Consignee
		Street_	- '		City		_State	this shipment is to consignee without	on 7 of conditions, be delivered to the recourse on the co
No. ckages	Description of Articles, Spec	aal Marks; and Exceptions	1 .	(Sub to	ight Cor)	Class or Hate	Check Column	lowing statements:	or shall sign the fo
2012 150 150 45	RCRA / Non DOT	"一个玩。""一个玩。""一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个		. 8	7			this shipment without and all other lawful c	not make delivery out payment of freigh harges
	Csaud bastretit			35.0	$\mathcal{O} = y$	Ø\$		(Signature o	Consignor)
	6722012	al especial de la company de l						If charges, are to stamp here, "TO BE	be prepaid, write of PREPAID."
			Sile du la ligita de la ligita						
AR	CF 24760				Personal Property of the Control of	There		Received \$ prepayment of the property described h	
								Agent or	Cashier
								(the signature here a the amount Prepaid)	cknowledges only
the shipment moves betwee value, shippers are required	een two ports by a carner by water, the law d to state specifically in writing the agreed or	requires that the bill of lading declared value of the property.	shall state whether it is	"carrier's or shipper's	weight." NOTE → W	Where the rate is	s dependent	Charges Advanced	
agreed or declared valed by the	shipper to be not exceeding	, ,		bet -	· .	~		\$/	7 12
7X [1]	VoV		MAJET	11 , 100	~ · · · · · · · · · · · · · · · · · · ·			11	NITTER

(This BID of Lading is to be signed by the shipper and agent of the carrier issuing same) $Bill\ of\ Lading$

TO THE PARTY OF TH

Appregate Recycling Corporation	(207) 439-5584 Ficket No 2 24760
106 Dow Highway Eliot, Maine 03903	0.80
Gustamen: 25-02-06 NAVEL STATION NEWFORT SIMON PIETRIE DRIVE	Orger No 1
NEWPORT R T 02841	Tons & 0.00
OTT SAND BLAST GRIT	Grode: BESED Scale 1 In 10:38:008N
	Net 4 42020 16
Weigh Mastery RDD	Naterial
Driver	
Remanus	TO A
The state of the s	The state of the s

ŝ

	· 7 (1 m	50	and retained by the Agent.	• • • • • • • • • • • • • • • • • • • •	2/16/03
	,3 ′	Charle T	Carrie	er Agent's No.	•
ECEIVE, subject to the class	incations and tariffs in effect on the date	of the issue of this Shipping.0	Order,		
	ation Newport			Drive Newport	
roperly described below, in apparent goo o property under the stantact) agrees to i i or any of said property over all or any p conditions on back hereof, which are been	d order, except as noted (contents and condition of content carry to its usual place of dollarly at said destination, if on profess of said note to destination, and as to each party at by egreed to by the shipper and excepted for himself, and his	is of packages unknown) medited, consigner its own reliroad water line hydroxy route of any time interested in all or any of said on a assigns,	d and destroid as shown below, which said company (the wor course, or within the territory of its highway opprations, of openly, that every service to be portormed hereunder shall	ord company being understood throughout sits confusions are sits to deliver to another earlier on the route to subset to deliver to another earlier on the route to subset to deliver to an open to the conditions not prohibited by law.	I mi meening any person or corporation in posses to destination. It is imutually agreed, as to each os whether printed or written, herein contained, inclu
•,	_		(M:	all or street address of consignee -	For purposes of notification only
Consigned to	Aggregate Recy	cling Corp.	Siller	(4)	8 · · ·
Destination	Dow Highway	Eliot	State of ME	Zip Code 03903 C	ounty-of
Routing		Cay .	Delivering Global Carrier Remediation	Vehicle on Svcs or Car Initial,	RGNo.
llect On Delivery				C. 0.	D. charge Shipper
	and remit to:			· · · · · · · · · · · · · · · · · · ·	paid by Consignee
, , , , , , , , , , , , , , , , , , , ,		Street	City	State this cons	bject to Section 7 of condition shipment is to be delivered to ghae without recourse on the of the consignor shall sign the
kages	Description of Articles, Special Marks.	and Exceptions	(Sub: to Cor.)	1 Class 1 Check the Howin	g statements: e carrier shall not make delive shipment without payment of fi
Nois RCRA				and and	ili diher jayiul charges.
Yb (sanda)					ன்.ஊர்த்தா இத
					(Signature of Consignor.)
					charges, are to be prepaid, wn
					othere, "TO BE PREPAID."
					1. 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
					to enough
I Oan	从上面的 同			1.在APPLICATION TO THE TRANSPORT OF DUOD	lyment of the charges on the charges on the
1000					, with Agent or Caebiar
					A Alexander
				the state of the	signature here acknowledges only
is shipment moves between two	ports by a carrier by water, the taw requires the	at the bill of lading shall state whe	ther this carrier's or shipperstweight." NOTE-		ges Advanced:
agreed or declared value of the	specifically in writing the agreed or declared value property is thereby	ر المراجع المر المراجع المراجع	A Company of the Comp	The second secon	Strange of Section 1985
Les College	27	hipper Per DA	CATA MICH		Simon DiNA
manent post-office addites o	and the second section is		Total of the total		inal Bill of Lading.
* . nt (best tiple and etching and arrest to	B) of Lading is to be signed by	The shipper and agent of the camer issue	3 831 24 2 3 3 3 3 3 3 3 3 3 3 3 3 3	en e

.

,

Aggregate Recycling Corporation PO Box 363 106 Dow Highway	(203) 439-5584	Ticket No : 24852 Date : 2/17/05
Customer: 25-02-06 NAVEL STATION NEWPORT SIMON PIETRIE DRIVE		den No 1 Loads 1
NEWPORT, R D W2841 OTS ORIT SAND PLAST GRIT	Gross : 72100 Tare : 40900	Tons 7 0.00 Scale 1 To 9.53:36AM Scale 1 In 10:09:28AM
	Net 1 31200 15.600	16
Wetgh Masters ROD	and the second s	Material/1 disk
Pomanka		Tatal
		- Torismonton